



**MAHARAJA<sup>®</sup>**  
— WHITELINE —

# KHUSHIYON KA HOMEMAKER



WATER HEATERS - AIR COOLERS - ROOM HEATERS

PRODUCT RANGE 2024

# AIR COOLERS

NEW  
LAUNCH



## MAXFROST 90

- Tall Design with 123 cm height
- High Cooling Efficiency
- Air Delivery: 4900 CMH & Air Throw: 52 ft
- Variable Fan Speed Control
- Motorised Vertical Louvers
- Dry Run Protected v Pump
- Inverter Compatible



90L  
Water Tank  
Capacity



Honeycomb  
Cooling  
Technology



Tank  
Auto-Fill



Fully Shut  
Louvers

90L - Dimensions (LxBxH in cm): 63 x 43 x 123 | Net Weight (kg): 15.8

NEW  
LAUNCH



## AIR PRO 80

- Air Delivery: 5300 CMH & Air Throw: 45 ft
- Castor Wheels for easy portability with Locks (front two)
- High Cooling Efficiency
- Variable Fan Speed Control
- Motorised Vertical Louvers
- Dry Run Protected Submersible Pump
- Inverter Compatible



80L  
Water Tank  
Capacity



Honeycomb  
Cooling  
Technology



Tank  
Auto-Fill



Ice  
Chamber

80L - Dimensions (LxWxH in cm): 64 x 43 x 121 | Net Weight (kg): 19.5



## AIR PRO 60

- Air Delivery: 5300 CMH & Air Throw: 45 ft
- Castor Wheels for easy portability with Locks (front two)
- High Cooling Efficiency • Variable Fan Speed Control
- Motorised Vertical Louvers
- Dry Run Protected Submersible Pump
- Inverter Compatible



60L  
Water Tank  
Capacity



Honeycomb  
Cooling  
Technology



Tank  
Auto-Fill



Ice  
Chamber

60L - Dimensions (LxWxH in cm): 64.5 x 44 x 110 | Net Weight (kg): 18.5

## PROWAVE SUPER 65 REMOTE PROWAVE SUPER 65

- **Soft Touch Panel & Remote Control** (Prowave Super 65 Remote)
- **Air Delivery:** 5000 CMH & **Air Throw:** 52 ft
- **Sleek Design:** intelligently designed Air suction panel for maximized intake
- **High Cooling Efficiency** • **Motorised Vertical Louvers**
- **Dry Run Protected Submersible Pump**
- **Inverter Compatible**



65L  
Water Tank  
Capacity



Honeycomb  
Cooling  
Technology



Ice  
Chamber



Anti-Bacterial  
Tank

65L - Dimensions (LxWxH in cm): 60.2 x 45 x 124.5 | **Net Weight (kg):** 15.8

## HYBRIDCOOL 65 REMOTE HYBRIDCOOL 55 REMOTE

- **Soft Touch Panel & Remote Control**
- **Air Delivery:** 5000 CMH & **Air Throw:** 52 ft
- **Sleek Design:** intelligently designed Air suction panel for maximized intake
- **Exceptional Cooling Efficiency**
- **Motorised Vertical Louvers**
- **Dry Run Protected Submersible Pump**
- **Inverter Compatible**



65L & 55L  
Water Tank  
Capacity



Unique Hybrid  
Cooling Tech  
(Additional benefit  
of 2 Cooling Pads)



Ice  
Chamber



Anti-Bacterial  
Tank

65L - Dimensions (LxWxH in cm): 60.2 x 45 x 124.5 | **Net Weight (kg):** 15.8  
55L - Dimensions (LxWxH in cm): 60.2 x 45 x 118 | **Net Weight (kg):** 15.5

## HYBRIDCOOL 65 HYBRIDCOOL 55

- **Air Deliver:** 5000 CMH & **Air Throw:** 52 ft
- **Exceptional Cooling efficiency**
- **Sleek Design:** intelligently designed Air suction panel for maximized intake
- **Motorised Vertical Louvers**
- **Dry Run Protected Submersible Pump**
- **Inverter Compatible**



65L & 55L  
Water Tank  
Capacity



Unique Hybrid  
Cooling Tech  
(Additional benefit  
of 2 Cooling Pads)



Ice  
Chamber



Anti-Bacterial  
Tank

65L - Dimensions (LxWxH in cm): 60.2 x 45 x 124.5 | **Net Weight (kg):** 15.8  
55L - Dimensions (LxWxH in cm): 60.2 x 45 x 118 | **Net Weight (kg):** 15.5



## GLACIO PRIME 65

- **Air Delivery:** 4800 CMH & **Air Throw:** 43 ft
- **Sleek Design:** Intelligently designed Air suction panel for maximized intake
- **Variable Fan Speed Control.**
- **Motorised Vertical Louvers**
- **Dry Run Protected Submersible Pump**
- **Inverter Compatible**



65L  
Water Tank  
Capacity



Woodwool  
Pads



Ice  
Chamber



Anti-Bacterial  
Tank

65L - Dimensions (LxWxH in cm): 60.2 x 45 x 124.5 | **Net Weight (kg):** 15.8



## SUPER GRAND 70 PLUS SUPER GRAND 70

- **Air Delivery (Super Grand 70 Plus) :** 6000 CMH & **Air Throw:** 60 ft
- **Air Delivery (Super Grand 70):** 5000 CMH & **Air Throw:** 50 ft
- **Larger Fan size of 45.72cms resulting in higher air delivery and air throw** • **Aroma Chamber**
- **Variable Fan Speed Control with Stylish Chrome Knobs**  
(Only with Super Grand 70 Plus)
- **Dry Run Protected Submersible Pump**
- **Anti-Bacterial Tank**



70L  
Water Tank  
Capacity



Honeycomb  
Cooling Technology  
(Only with Super Grand 70 Plus)



Woodwool  
Pads  
(Super Grand 70)



Tank  
Auto-Fill

**Dimensions (LxWxH in cm):** 69 x 69 x 87

**Net Weight (kg):** 18.5 (Super Grand 70 Plus) | 18 (Super Grand 70)

Trolley Available. To be purchased separately



## BRAVO HYBRIDCOOL 65 BRAVO PRIME

- **Air Delivery (Bravo Hybridcool 65) :** 5500 CMH & **Air Throw:** 54 ft
- **Air Delivery (Bravo Prime) :** 5100 CMH & **Air Throw:** 52 ft
- **Lagre Fan size of 45.72cms resulting in higher air delivery and air throw**
- **Aroma Chamber** • **Variable Fan speed control with Stylish Chrome Knobs (Bravo Hybridcool 65)**
- **Dry Run Protected Submersible Pump**
- **Anti-Bacterial Tank**



70L  
Water Tank  
Capacity



Honeycomb  
Cooling Technology  
(Only with Super Grand 70 Plus)



Woodwool  
Pads  
(Super Grand 70)



Tank  
Auto-Fill

**Dimensions (LxWxH in cm):** 68 x 67 x 93

**Net Weight (kg):** 22.5 (Bravo Hybridcool 65) | 22.3 (Bravo Prime)

Trolley Available. To be purchased separately



## FROSTAIR 45

- Air Delivery: 1900 CMH & Air Throw: 30 ft
- Eco-efficient Centrifugal Pump
- Variable Fan Speed Control
- Motorised Vertical Louvers
- Inverter Compatible
- Dry Run Protected Submersible Pump
- Anti-Bacterial Tank



42L  
Water Tank  
Capacity



Honeycomb  
Cooling  
Technology



Ice  
Chamber



Dust Filter  
Net

42L - Dimensions (LxWxH in cm): 50 x 35 x 87 | Net Weight (kg): 10



## FROSTAIR 25

- Air Delivery: 1900 CMH & Air Throw: 30 ft
- Eco-efficient Centrifugal Pump
- Variable Fan Speed Control
- Motorised Vertical Louvers
- Inverter Compatible
- Dry Run Protected Submersible Pump
- Anti-Bacterial Tank



22L  
Water Tank  
Capacity



Honeycomb  
Cooling  
Technology



Ice  
Chamber



Dust Filter  
Net

22L - Dimensions (LxWxH in cm): 49 x 35.5 x 70 | Net Weight (kg): 9

Wooden/Chrome  
Deco Panels



## BLIZZARD DECO 55 REMOTE BLIZZARD DECO 25 REMOTE

- Soft Touch Panel & Remote Control
- Sleek, Tall Design with Premium Wooden Styled Panel with Chrome Inserts
- Air Delivery: 1600 CMH & Air Throw: 25 ft
- Eco-efficient Centrifugal Pump
- Dry Run Protected Submersible Pump
- Inverter Compatible



54L & 22L  
Water Tank  
Capacity



Honeycomb  
Cooling  
Technology



Ice  
Chamber



Dust Filter  
Net

54L - Dimensions (LxWxH in cm): 38 x 44 x 129 | Net Weight (kg): 11.5  
22L - Dimensions (LxWxH in cm): 36 x 37 x 97 | Net Weight (kg): 9.5

Wooden/Chrome  
Deco Panels



## BLIZZARD DECO 55 BLIZZARD DECO 25

- Sleek, Tall Design with Premium Wooden Styled Panel with Chrome Inserts
- Air Delivery: 1600 CMH & Air Throw: 25 ft
- Eco-efficient Centrifugal Pump
- Variable Fan Speed Control with Stylish Chrome Knobs
- Dry Run Protected Submersible Pump
- Inverter Compatible



54L & 22L  
Water Tank  
Capacity



Honeycomb  
Cooling  
Technology



Ice  
Chamber



Dust Filter  
Net

54L - Dimensions (LxWxH in cm): 38 x 44 x 129 | Net Weight (kg): 11.5  
22L - Dimensions (LxWxH in cm): 36 x 37 x 97 | Net Weight (kg): 9.5

## ARROW DELUX

- Air Delivery: 2500 CMH & Air Throw: 35 ft
- Eco-efficient Centrifugal Pump
- Quadcool Technology for Maximum Cooling
- Variable Fan Speed Control
- Motorised Vertical Louvers



50L  
Water Tank  
Capacity



Woodwool  
Pads



High  
Air Delivery  
2500 CMH



Quadcool  
Technology

50L - Dimensions (LxWxH in cm): 62 x 53 x 55.6 | Net Weight (kg): 12.5

# ROOM HEATERS

NEW  
LAUNCH



## LAVA QUARTZ

Radiant Heater

- **Type:** Heater (Quartz)
- **Max. Wattage:** 1200W
- **No. of Rods/Setting:** 3/400W Each
- **ISI Certified**
- **Tip-Over Safety Switch**



Low Glare  
High Comfort



1 Year  
Warranty



Advanced  
Heating  
Technology



Shock Proof  
Body

NEW  
LAUNCH



## FLARE EVO

Convector Heater

- **Type:** Heat Convector
- **Max. Wattage:** 2000W
- **No. of Setting:** 2 Settings
- **ISI Certified**
- **Variable Fan Setting**



Advanced  
Heating  
Technology



1 Year  
Warranty



Horizontal  
and Vertical  
Standing



Variable  
Thermostat  
Setting



# ROOM HEATERS



## OMIFLUX

Infrared Heater

- **Type:** Carbon
- **Max. Wattage:** 1000W
- **No. of Rods/Setting:** 2/500W Each
- **ISI Certified**
- **Oscillation**
- **Tip-Over Safety Switch**



180° Heat  
Distribution



1 Year  
Warranty



Low Glare  
High Comfort



Advanced  
Heating  
Technology



## LAVA CARBON

Infrared Heater

- **Type:** Carbon
- **Max. Wattage:** 1200W
- **No. of Rods/Setting:** 3/400W Each
- **ISI Certified**
- **Oscillation**
- **Tip-Over Safety Switch**



180° Heat  
Distribution



1 Year  
Warranty



Low Glare  
High Comfort



Advanced  
Heating  
Technology



## NANO CARBON

Infrared Heater

- Type:** Carbon
- **Max. Wattage:** 500W
- **No. of Rods/Setting:** 1/500W
- **ISI Certified**
- **Tip-Over Safety Switch**



Low Glare  
High Comfort



1 Year  
Warranty



Advanced  
Heating  
Technology



Shock Proof  
Body





## LAVA HALOGEN

Infrared Heater

- **Type:** Halogen
- **Max. Wattage:** 1200W
- **No. of Rods/Setting:** 3/400W Each
- **ISI Certified**
- **Oscillation**
- **Tip-Over Safety Switch**



180° Heat  
Distribution



1 Year  
Warranty



Low Glare  
High Comfort



Advanced  
Heating  
Technology



## QUATO

Radiant Heater

- **Type:** Quartz
- **Max. Wattage:** 800W
- **No. of Rods/Setting:** 2/400W Each
- **ISI Certified**
- **Tip-Over Safety Switch**



Multi - Heat  
Setting



1 Year  
Warranty



Low Glare  
High Comfort



Advanced  
Heating  
Technology



## FLARE 2000T

Convector Heater

- Type:** Heat Convector
- **Max. Wattage:** 2000W
- **No. of Setting:** 2 Settings
- **Adjustable Thermostat**
- **Auto Cut-off**
- **ISI Certified**



Multi - Heat  
Setting



1 Year  
Warranty



Advanced  
Heating  
Technology



Shock Proof  
Body

# WATER HEATERS

## CUATRO

Storage Water Heater

- 8 Bar Working Pressure
- Rust & Shock Proof Plastic Body
- Incoloy Glasslined Heating Element
  - Reduces scale formation
  - Ensures longer element life even in hard water areas
- Rated Power 2kW
- Multi-layer Safety
- Smart Water Inlet Diffuser



LED  
Smart Indicator

Available in  
15L & 25L



Glasslined  
Tank Coating



7  
Years  
On  
Tank



3  
Years  
On Heating  
Element



2  
Years  
On  
Product

Warranty

## WARMIST NEO PLUS

Storage Water Heater

- 8 Bar Working Pressure
- Rust & Shock Proof Plastic Body
- Incoloy Glasslined Heating Element
  - Reduces scale formation
  - Ensures longer element life even in hard water areas
- Rated Power 2kW
- Multi-layer Safety
- Smart Water Inlet Diffuser



Available in  
10L, 15L & 25L



Glasslined  
Tank Coating



7  
Years  
On  
Tank



3  
Years  
On Heating  
Element



2  
Years  
On  
Product

Warranty

## AQUIS NEO PLUS

Storage Water Heater

- 8 Bar Working Pressure
- Rust & Shock Proof Metal Body
- Incoloy Glasslined Heating Element
  - Reduces scale formation
  - Ensures longer element life even in hard water areas
- Rated Power 2kW
- Multi-layer Safety
- Smart Water Inlet Diffuser



Available in  
10L, 15L & 25L



Glasslined  
Tank Coating



5  
Years  
On  
Tank



3  
Years  
On Heating  
Element



2  
Years  
On  
Product

Warranty



Available in  
10L, 15L & 25L



## EDNIS NEO

Storage Water Heater

- 8 Bar Working Pressure
- Rust & Shock Proof Metal Body
- Polymer Coated Tank
- Rated Power 2kW
- Multi-layer Safety
- Smart Water Inlet Diffuser



Polymer  
Coated Tank



5  
Years  
On Tank



3  
Years  
On Heating  
Element



2  
Years  
On Product

Warranty



Available in  
3L

## FIESTA EVO

Instant Water Heater

- 6.5 Bar Working Pressure
- Rust & Shock Proof Plastic Body
- Rated Power 3kW
- Multi-layer Safety
- Smart Indicator



5  
Years  
On Tank



2  
Years  
On Heating  
Element



2  
Years  
On Product

Warranty



**GROUPE SEB INDIA PVT. LTD.**

215-220, Vipul Plaza, Suncity, Golf Course Road,  
Sector -54, Gurugram, 122011, Haryana, India

MAHARAJA CARE:  8860505777, 8860555777  8860555777

[www.maharajawhiteline.com](http://www.maharajawhiteline.com)